

Certificate of Analysis

Product Description: HIV-2 AB Positive Confirmed Plasma
 Material No(s): 0315-0027, 0315-0028, 0315-0029
 Lot No: 10007039
 Donor ID: BD200052
 Gender: NA
 Age: NA
 Country of Origin: IN
 Collection Date: 10-Aug-12
 Anticoagulant: CPD
 Storage Temperature: -20
 Shipping Conditions: Dry ice
 Intended Use: For research use only. Not for use in diagnostic procedures.
 Safety Precautions: Use universal precautions when handling this material.
 Test Method(s): See below

Lot Analysis

Test Date	Analyte	Test Method/Manufacturer	Result	Units	Notes
22-Oct-13	HIV-2 Antibody	Bio-Rad EIA	14.391	S/CO	NA
This product was tested for Antibody to HCV, HBsAg, HTLV I/II and found to be negative.					

Additional Data

Test Date	Analyte	Test Method/Manufacturer	Result	Units	Notes
01-Nov-13	HIV-1 Rapid Test	Bio-Rad Rapid Test (Multispot)	NEG	NA	NA
01-Nov-13	HIV-2 Rapid Test	Bio-Rad Rapid Test (Multispot)	POS	NA	NA

Data are provided for informational purposes. SeraCare Life Sciences does not claim that others can duplicate test results exactly.
 NA = Not Available

Approval:



03-Mar-16

Prepared By

Date



03-Mar-16

QA Verified By

Date