

Certificate of Analysis

Product Description: Cardiolipin IgG Positive Plasma
 Material No(s): 0340-0025, 0340-0026, 0340-0027, 0340-0028
 Lot No: 9244913
 Donor ID: AE10208
 Gender: NA
 Age: NA
 Country of Origin: NA
 Collection Date: 30-Mar-10
 Anticoagulant: NA
 Storage Temperature: -20 degrees C
 Shipping Conditions: Dry ice
 Intended Use: For research use only. Not for use in diagnostic procedures.
 Safety Precautions: Use universal precautions when handling this material.
 Test Method(s): See below

Lot Analysis					
Test Date	Analyte	Test Method/Manufacturer	Result	Units	Notes
25-Apr-10	Cardiolipin IgG	Immunoassay (Reference Lab-Quest)	ALR	U/mL	>100
This product was tested for Antibody to HIV 1/2, Antibody to HCV, HBsAg, HIV-1 RNA, HCV RNA, HBV DNA, Syphilis and found to be negative.					

Additional Data					
Test Date	Analyte	Test Method/Manufacturer	Result	Units	Notes
25-Apr-10	Cardiolipin IgM	Immunoassay (Reference Lab-Quest)	BLD	U/mL	<10

Data are provided for informational purposes. SeraCare Life Sciences does not claim that others can duplicate test results exactly.
 NA = Not Available

Approval:

Lynne Labonte

13-Aug-15

Prepared By

Date

Christine Pawia

20-Aug-15

QA Verified By

Date

