

# Certificate of Analysis

Product Description: Cardiolipin IgG Positive Plasma  
 Material No(s): 0340-0025, 0340-0026, 0340-0027, 0340-0028  
 Lot No: 9245895  
 Donor ID: AE10208  
 Gender: NA  
 Age: NA  
 Country of Origin: NA  
 Collection Date: 07-May-10  
 Anticoagulant: NA  
 Storage Temperature: -20 degrees C  
 Shipping Conditions: Dry ice  
 Intended Use: For research use only. Not for use in diagnostic procedures.  
 Safety Precautions: Use universal precautions when handling this material.  
 Test Method(s): See below

Lot Analysis					
Test Date	Analyte	Test Method/Manufacturer	Result	Units	Notes
11-Jun-10	Cardiolipin IgG	Immunoassay (Reference Lab-Quest)	62	U/mL	
This product was tested for Antibody to HIV 1/2, Antibody to HCV, HBsAg, HIV-1 RNA, HCV RNA, HBV DNA, Syphilis and found to be negative.					

Additional Data					
Test Date	Analyte	Test Method/Manufacturer	Result	Units	Notes
11-Jun-10	Cardiolipin IgM	Immunoassay (Reference Lab-Quest)	BLD	U/mL	<10
04-Feb-13	C Reactive Protein	Beckman Coulter Immage	1.91	mg/dL	

Data are provided for informational purposes. SeraCare Life Sciences does not claim that others can duplicate test results exactly.  
 NA = Not Available

**Approval:**

*Lynne Labonte*

13-Aug-15

Prepared By

Date

*Christine Pawia*

20-Aug-15

QA Verified By

Date

