

# Certificate of Analysis

Product Description: dsDNA Antibody Positive Plasma  
 Material No(s): 0340-0029, 0340-0030, 0340-0031, 0340-0032  
 Lot No: 9250795  
 Donor ID: BD110367  
 Gender: NA  
 Age: NA  
 Country of Origin: NA  
 Collection Date: 06-Mar-11  
 Anticoagulant: NA  
 Storage Temperature: -20 degrees C  
 Shipping Conditions: Dry ice  
 Intended Use: For research use only. Not for use in diagnostic procedures.  
 Safety Precautions: Use universal precautions when handling this material.  
 Test Method(s): See below

Lot Analysis					
Test Date	Analyte	Test Method/Manufacturer	Result	Units	Notes
04-Apr-11	dsDNA Antibody	Diamedix EIA	142.484	IU/mL	1:10 dilution
04-Apr-11	dsDNA Antibody	Diamedix EIA	> 200	IU/mL	ALR
This product was tested for HBsAg, Antibody to HIV1/2, Antibody to HCV, HBV DNA, HIV1 RNA, HCV RNA, and Syphilis and found to be negative.					

Additional Data					
Test Date	Analyte	Test Method/Manufacturer	Result	Units	Notes
04-Feb-13	C Reactive Protein	Beckman Coulter Immage	0.449	mg/dL	

Data are provided for informational purposes. SeraCare Life Sciences does not claim that others can duplicate test results exactly.  
 NA = Not Available

**Approval:**

*Brenda de Freitas*

08Jun15

Prepared By

Date

*Anne Moore*

10Jun15

QA Verified By

Date

