

Certificate of Analysis

Product Description: dsDNA Antibody Positive Plasma
 Material No(s): 0340-0029, 0340-0030, 0340-0031, 0340-0032
 Lot No: 9256247
 Donor ID: BD111160
 Gender: NA
 Age: NA
 Country of Origin: NA
 Collection Date: 09-Jan-12
 Anticoagulant: NA
 Storage Temperature: -20 degrees C
 Shipping Conditions: Dry ice
 Intended Use: For research use only. Not for use in diagnostic procedures.
 Safety Precautions: Use universal precautions when handling this material.
 Test Method(s): See below

Lot Analysis					
Test Date	Analyte	Test Method/Manufacturer	Result	Units	Notes
23-Feb-12	dsDNA Antibody	Diamedix EIA	30.26	IU/mL	1:10 dilution
23-Feb-12	dsDNA Antibody	Diamedix EIA	121.93	IU/mL	

This product was tested for HBsAg, Antibody to HIV1/2, Antibody to HCV, HIV1 RNA, HBV DNA, and HCV RNA and found to be negative.

Additional Data					
Test Date	Analyte	Test Method/Manufacturer	Result	Units	Notes
04-Feb-13	C Reactive Protein	Beckman Coulter Immage	0.341	mg/dL	
27-Feb-12	Ribosomal P Antibody	Inova EIA	3.448	S/CO	

Data are provided for informational purposes. SeraCare Life Sciences does not claim that others can duplicate test results exactly.
 NA = Not Available

Approval:

Brenda de Freitas

08Jun15

Prepared By

Date

Anne Moore

10Jun15

QA Verified By

Date

