

Certificate of Analysis

Product Description: dsDNA Antibody Positive Plasma
 Material No(s): 0340-0029, 0340-0030, 0340-0031, 0340-0032
 Lot No: 9260311
 Donor ID: BD111361
 Gender: NA
 Age: NA
 Country of Origin: NA
 Collection Date: 29-Jun-12
 Anticoagulant: NA
 Storage Temperature: -20 degrees C
 Shipping Conditions: Dry ice
 Intended Use: For research use only. Not for use in diagnostic procedures.
 Safety Precautions: Use universal precautions when handling this material.
 Test Method(s): See below

Lot Analysis					
Test Date	Analyte	Test Method/Manufacturer	Result	Units	Notes
20-Jul-12	dsDNA Antibody	Diamedix EIA	>200	IU/mL	ALR
20-Jul-12	dsDNA Antibody	Diamedix EIA	49.251	IU/mL	1:10 dilution
20-Jul-12	dsDNA Antibody	Diamedix EIA	50.35	IU/mL	1:10 dilution
This product was tested for HBsAg, Antibody to HIV1/2, Antibody to HCV, HIV1 RNA, HBV DNA, and HCV RNA and found to be negative.					

Additional Data					
Test Date	Analyte	Test Method/Manufacturer	Result	Units	Notes
04-Feb-13	C Reactive Protein	Beckman Coulter Immage	0.182	mg/dL	

Data are provided for informational purposes. SeraCare Life Sciences does not claim that others can duplicate test results exactly.
 NA = Not Available

Approval:

Brenda de Freitas

08Jun15

Prepared By

Date

Anne Moore

10Jun15

QA Verified By

Date

