

# Certificate of Analysis

Product Description: Parvo IgM Positive Plasma  
 Material No(s): 0350-0009, 0350-0010, 0350-0011, 0350-0012  
 Lot No: BM124917  
 Donor ID: PV11046  
 Gender: NA  
 Age: NA  
 Country of Origin: NA  
 Collection Date: 27-Jun-02  
 Anticoagulant: NA  
 Storage Temperature: -20  
 Shipping Conditions: Dry ice  
 Intended Use: For research use only. Not for use in diagnostic procedures.  
 Safety Precautions: Use universal precautions when handling this material.  
 Test Method(s): See below

## Lot Analysis

Test Date	Analyte	Test Method/Manufacturer	Result	Units	Notes
06-Apr-10	Parvovirus B19 IgM	Biotrin International EIA	2.970	S/CO	NA
This product was tested for Antibody to HIV 1/2, Antibody to HCV, HBsAg, HIVAg and found to be negative.					

## Additional Data

Test Date	Analyte	Test Method/Manufacturer	Result	Units	Notes
06-Apr-10	Parvovirus B19 IgG	Biotrin International EIA	5.921	S/CO	NA

Data are provided for informational purposes. SeraCare Life Sciences does not claim that others can duplicate test results exactly.  
 NA = Not Available

### Approval:

*Lynne Labonte*

13-Nov-15

Prepared By

Date

*Tsering Chelung*

13-Nov-15

QA Verified By

Date