

# Certificate of Analysis

Product Description: Mycoplasma IgG Positive Plasma  
 Material No(s): 0350-0025, 0350-0026, 0350-0027, 0350-0028  
 Lot No: BM203109  
 Donor ID: BD101663  
 Gender: NA  
 Age: NA  
 Country of Origin: NA  
 Collection Date: 07-Nov-05  
 Anticoagulant: NA  
 Storage Temperature: -20  
 Shipping Conditions: Dry ice  
 Intended Use: For research use only. Not for use in diagnostic procedures.  
 Safety Precautions: Use universal precautions when handling this material.  
 Test Method(s): See below

Lot Analysis					
Test Date	Analyte	Test Method/Manufacturer	Result	Units	Notes
10-Dec-15	Mycoplasma IgG	Immunoassay	2.210	INDEX	NA
This product was tested for Antibody to HIV 1/2, Antibody to HCV, HBsAg, HIV 1 RNA, HCV RNA, HBV DNA and found to be negative.					

Data are provided for informational purposes. SeraCare Life Sciences does not claim that others can duplicate test results exactly.  
 NA = Not Available

**Approval:**

*Lynne Rabente*

16-Dec-15

Prepared By

Date

*Tsering Chelung*

22-Dec-15

QA Verified By

Date