

Certificate of Analysis

Product Description: HEV IgG Ab Positive Greater Than 2 S/CO Plasma
 Material No(s): 0311-0009, 0311-0010, 0311-0011, 0311-0012
 Lot No: 9264236
 Donor ID: BD111445
 Gender: Male
 Age: 19
 Country of Origin: NA
 Collection Date: 27-Dec-12
 Anticoagulant: NA
 Storage Temperature: - 20 degrees C
 Shipping Conditions: Dry ice
 Intended Use: For research use only. Not for use in diagnostic procedures.
 Safety Precautions: Use universal precautions when handling this material.
 Test Method(s): See below

Lot Analysis				
Test Date	Analyte	Test Method/Manufacturer	Result	Units
11-Sep-13	HEV IgG	Mikrogen EIA	52.08	IU/mL
11-Sep-12	HEV IgG	DSI EIA	2.4	S/CO

This product was tested for HBsAg, a-HCV and a-HIV1/2 and found to be negative.

Data are provided for informational purposes.
 SeraCare Life Sciences does not claim that others can duplicate test results exactly.
 NA = Not Available

Approval:

Anne Moore

02 APR 15

QA Prepared By

Date

Chalene Lachapelle

03 APR 15

QA Verified By

Date

