

# KPL BacTrace<sup>®</sup> Antibody Goat anti-*E. coli* O26 Biotin-Labeled

Catalog No.	Size
5360-0034 (16-95-92)	0.5 mg

## DESCRIPTION

Affinity purified antibody isolated from a pool of serum from goats immunized with *Escherichia coli* O157:H7 was labeled with a biotin analog with a long carbon spacer arm, which minimizes steric hindrance and maximizes binding.

## FORM/STORAGE

Lyophilized. Store at 2-8°C until rehydrated. Stable for a minimum of 1 year when stored at 2-8°C.

## STABILIZER AND PRESERVATIVE

Goat serum is added as a protein stabilizer. No preservative added. Additional biological protection may be provided with 0.1% sodium azide. Non-sterile.

#### ANTIBODY CONCENTRATION

The concentration of affinity purified antibody is 0.5 mg as determined by UV absorbance at 280 nm.

#### SPECIFICITY/CROSS REACTIVITY

Tested by ELISA techniques as applicable. This product reacts specifically with *E. coli* O157:H7.

## **REHYDRATION AND STORAGE**

**Note:** Rehydration of antibodies in TBS or buffers other than those listed here is not recommended.

<u>**Rehydration**</u>: Rehydrate with 1 mL of reagent quality water. Rotate the vial until the lyophilized pellet is totally dissolved.

**<u>Storage</u>**: This product may be stored for up to 1 week refrigerated; thereafter, it should be stored frozen. Stable for a minimum of 1 year at -20°C.

#### SUGGESTED WORKING DILUTIONS

Optimal working concentrations should be determined experimentally. Prepare working dilution in solutions free from biotin such as 0.1 M TBS with 0.01% Tween 20 or 1% KPL BSA Diluent Block immediately before use. These buffers are not recommended for long term storage. Suggested starting dilutions are as follows. In many cases, the antibody may be further diluted. ELISA: 1:1000 - 1:5000 0.5 μg/mL - 0.1 μg/mL Blotting: 1:1000 - 1:5000 0.5 μg/mL - 0.1 μg/mL Histo/Cytochemical Procedures: 1:50 - 1:500 10.0 μg/mL - 1.0 μg/mL

## **PRODUCT SAFETY AND HANDLING**

This product is considered non-hazardous as defined by The Hazard Communication Standard (29 CFR 1910.1200). Avoid contact with skin and eyes. In case of contact or spillage, clean with copious amounts of water. Disposal via sanitary sewer.

CAT. NO.

#### RELATED PRODUCTS

NEERIED I NODOGIO	CALLINO.
KPL E. coli O157:H7 Positive	5370-0013 (50-95-90)
Control	
KPL <i>E. coli</i> O111 Unlabeled	5310-0328 (01-95-91)
Antibody	
KPL <i>E. coli</i> O26 Unlabeled	5310-0329 (01-95-92)
Antibody	
KPL <i>E. coli</i> O103 Unlabeled	5310-0330 (01-95-93)
Antibody	
KPL <i>E. coli</i> O145 Unlabeled	53100331 (01-95-94)
Antibody	
KPL <i>E. coli</i> O121 Unlabeled	5310-0332 (01-95-95)
Antibody	
KPL <i>E. coli</i> O45 Unlabeled	5310-0333 (01-95-96)
Antibody	
KPL <i>E. coli</i> O157:H7	5310-0326 (01-95-90)
Unlabeled Antibody	
KPL 10% BSA	5140-0006 (50-61-00)
Diluent/Blocking Solution	
KPL 10X Coating Solution	5150-0014 (50-84-00)
KPL 20X Wash Solution	5150-0008 (50-63-00)
KPL AP Streptavidin	5270-0030 (15-30-00)
KPL HRP Streptavidin	5270-0029 (14-30-00)
	0210 0020 (14 00 00)

The product listed herein is for research use only and is not intended for use in human or clinical diagnosis.