



# Safety Data Sheet

KIT - 4 CN Peroxidase Substrate System 2-C

SDS-10135

Rev. Number: 3

Rev. Date: Jun 1, 2020

## 1. PRODUCT AND COMPANY IDENTIFICATION

Product Description:	Product Code
4 CN Peroxidase Substrate System (2-C)	5420-0020 (50-73-00)

### Kit Components

4-CN Solution

### Part Code

5420-0021 (50-73-01)

Peroxidase Substrate Solution B

5120-0037 (50-65-00)

### Recommended Use:

Reagent

### Contact

#### Manufacturer:

SeraCare Life Sciences  
910 Clopper Road  
Gaithersburg, MD  
20878

#### Phone #:

(508) 244-6400  
US Toll Free: (800) 676-1881

#### Fax #:

(508) 634-3394

#### Web:

www.seracare.com

#### Email:

customerservice@seracare.com

### Emergency Telephone Numbers:

AUSTRALIA – POISONS INFORMATION CENTER

Telephone: 13 11 26 - Hours: 24 hours

CANADIAN TRANSPORT EMERGENCY CENTER

Telephone: (1 ) 613 996 6666 - Hours: 24 hours/day, 7 days/week

UK – THE NATIONAL FOCUS

Telephone: (44) 029 2041 6388 - Hours: 09:00-17:00 GMT

USA - NATIONAL RESPONSE CENTER

Telephone: (1 ) 800 424 8802 - Hours: 24 hours/day, 7 days/week

### CHEMTREC:

CHEMTREC Customer Number:- CCN12505\*  
For Chemical Emergency Spill, Leak, Fire, Exposure, or Accident  
Call CHEMTREC Day or Night  
Within USA and Canada: 1-800-424-9300 CCN12505 or  
+1 703-527-3887 (collect calls accepted)



# Safety Data Sheet

4 CN Peroxidase Substrate

SDS-10329

Rev. Number: 3

Rev. Date: Dec 21, 2021

## 1. PRODUCT AND COMPANY IDENTIFICATION

Product Description:	Material Number
4 CN Substrate	5420-0023 (50-73-03)
4 CN Substrate	5420-0021 (50-73-01)
4 CN Substrate	5420-0022 (50-73-02)

**Hazardous Reagent**

4 CN Substrate

**Hazardous Reagent Product code**

Catalog No. listed above

**Recommended Use:** Reference Reagent For  
Research Use Only.**Contact  
Manufacturer:** LGC Clinical Diagnostics, Inc.  
910 Clopper Road  
Gaithersburg, MD 20878**Phone #:** (508) 244-6400  
US Toll Free: (800) 676-1881**Fax #:** (508) 634-3394**Web:** www.seracare.com**Email:** CDx-CustomerService@LGCGroup.com**Emergency Telephone Numbers:**

AUSTRALIA – POISONS INFORMATION CENTER

Telephone: 13 11 26 - Hours: 24 hours

CANADIAN TRANSPORT EMERGENCY CENTER

Telephone: (1) 613 996 6666 - Hours: 24 hours/day,  
7 days/week

UK – THE NATIONAL FOCUS

Telephone: (44) 029 2041 6388 - Hours: 09:00-17:00 GMT

USA - NATIONAL RESPONSE CENTER

Telephone: (1) 800 424 8802 - Hours: 24 hours/day,  
7 days/week**CHEMTREC:** CHEMTREC Customer Number: - CCN12505\*  
For Chemical Emergency Spill, Leak, Fire, Exposure, or Accident  
Call CHEMTREC Day or Night  
Within USA and Canada: 1-800-424-9300 CCN12505 or  
+1 703-527-3887 (collect calls accepted)


## 2. HAZARD IDENTIFICATION

**Hazard Type:** Health Hazard**GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)****GHS Classification:** Flammable liquids, Category 2; H225  
Acute toxicity, Category 3, inhalation; H331  
Acute toxicity, Category 3, dermal; H311  
Acute toxicity, Category 3, oral; H301  
Specific Target Organ Toxicity (single exposure), Category 2; H371

SDS-10329

Rev. Number: 3

Rev. Date: Dec 21, 2021

<b>Biological Hazard:</b>	None. Product does not contain any human or animal origin materials.
<b>Hazard Statements:</b>	H225: Highly flammable liquid and vapour. H331: Toxic if inhaled. H311: Toxic in contact with skin. H301: Toxic if swallowed. H371: May cause damage to organs.
<b>Precautionary Statements:</b>	P210: Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking P233: Keep container tightly closed. P240: Ground/bond container and receiving equipment. P241: Use explosion-proof electrical/ ventilating/ lighting equipment. P242: Use only non-sparking tools. P243: Take precautionary measures against static discharge. P280: Wear protective gloves/ protective clothing/ eye protection/ face protection. P260: Do not breathe dust/ fume/ gas/mist/ vapours/ spray. P271: Use only outdoors or in a well-ventilated area. P284: Wear respiratory protection. P264: Wash skin thoroughly after handling. P270: Do not eat, drink or smoke when using this product.
<b>Symbols and Indications of Danger:</b>	GHS02 GHS06 GHS08 Dgr: Danger 
<b>Principle Route of Exposure:</b>	The substance can be absorbed into the body by inhalation and through the skin and by ingestion.
<b>Acute Effects: Eye</b>	In case of contact, immediately flush eyes with a large amount of water for at least 15 minutes while holding the eyelids open to assure that the entire surface is flushed. Seek medical attention.
<b>Acute Effects: Skin</b>	Remove contaminated clothing and shoes. In case of contact, immediately wash the contact area thoroughly with soap and a large amount of water. Seek medical attention.
<b>Acute Effects: Inhalation</b>	Remove user to fresh air. If symptoms of intoxication or vision problems are apparent, seek immediate medical attention
<b>Inhalation Risk:</b>	A harmful contamination of the air can be reached rather quickly on evaporation of this substance at 20°C.
<b>Short-Term Exposure:</b>	The substance is irritating to the eyes, the skin and the respiratory tract. The substance may cause effects on the central nervous system, resulting in loss of consciousness.
<b>Long-Term Exposure:</b>	Repeated or prolonged contact with skin may cause dermatitis. The substance may have effects on the central nervous system, resulting in persistent or recurring headaches and impaired vision.  Redness. Pain.  MAY BE ABSORBED! Dry skin. Redness.  Cough. Dizziness. Headache. Nausea. Weakness. Visual disturbance.  Abdominal pain. Shortness of breath. Vomiting. Convulsions. Unconsciousness. (Further see Inhalation).
<b>Ingestion:</b>	Do not eat, drink, or smoke during work.

SDS-10329

Rev. Number: 3

Rev. Date: Dec 21, 2021

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

<u>Component</u>	<u>Chemical</u>	<u>% Weight</u>	<u>CAS #</u>
4 CN Peroxidase Substrate	Methyl Alcohol	<20%	67-56-1

**GHS Classification:** Flammable liquids, Category 2; H225  
 Acute toxicity, Category 3, inhalation; H331  
 Acute toxicity, Category 3, dermal; H311  
 Acute toxicity, Category 3, oral; H301  
 Specific Target Organ Toxicity (single exposure), Category 2; H371

### 4. FIRST AID MEASURES

**General Advice:** Wash contaminated clothing before reuse. Seek medical attention if necessary.

**Ingestion First Aid:** Induce vomiting (ONLY IN CONSCIOUS PERSONS!). Refer for medical attention.

**Oral Exposure:** Avoid swallowing the material. Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious or convulsing person. If conscious, rinse mouth with water. Seek medical attention.

**Inhalation Exposure:** Fresh air, rest. Refer for medical attention.

**Skin Exposure:** Remove contaminated clothes. Rinse skin with plenty of water or shower. Refer for medical attention.

**Eye Exposure:** First rinse with plenty of water for several minutes (remove contact lenses if easily possible), then take to a doctor.

### 5. FIRE FIGHTING MEASURES

**Extinguishing Media:** Use dry chemical, alcohol-resistant foam or carbon dioxide for the surrounding fire.

**Fire Acute Hazard:** Highly flammable. See Notes.

**Fire Prevention:** NO open flames, NO sparks, and NO smoking. NO contact with oxidants.

**Fire Fighting:** Powder, alcohol-resistant foam, water in large amounts, carbon dioxide.

**Explosion Acute Hazard:** Vapour/air mixtures are explosive.

Closed system, ventilation, explosion-proof electrical equipment and lighting. Do NOT use compressed air for filling, discharging, or handling. Use non-sparking handtools.

In case of fire: keep drums, etc., cool by spraying with water.

**CHEMICAL DANGERS:** Reacts violently with oxidants causing fire and explosion hazard.

**PHYSICAL DANGERS:** The vapour mixes well with air, explosive mixtures are easily formed.

**Unusual Fire and Explosive Hazards:** May emit toxic and/or explosive vapors under fire conditions.

**Flash Point:** 80 °F (26.5 °C)

**Auto Ignition Temperature:** 725 °F (385 °C)

**Flammability Statement:** This product is flammable (flammable limits LEL=6.7 and UEL=36).

**Specific Hazards Arising from the Chemical:** Hazardous combustion products may include carbon monoxide, formaldehyde, and carbon dioxide.

**Protective Equipment and Precautions for Firefighters:** Wear self-contained breathing apparatus and protective clothing to prevent exposure to eyes and skin. Flame invisible in daylight.

SDS-10329

Rev. Number: 3

Rev. Date: Dec 21, 2021

## 6. ACCIDENTAL RELEASE MEASURES

<b>Personal Precautions:</b>	Data for 100% Methyl Alcohol (67-56-1): Precautionary Statement - P-phrases: P210: Keep away from heat/sparks/open flames/hot surfaces. No smoking. P233: Keep container tightly closed. P280: Wear protective gloves/protective clothing/eye protection/face protection. P302+P352: IF ON SKIN: Wash with plenty of soap and water. P309+P310: IF exposed or if you feel unwell: Immediately call a POISON CENTER or doctor/physician. (Unofficial P-phrase combination)
<b>Environmental Precautions:</b>	Data for 100% Methyl Alcohol (67-56-1): Endangerment of drinking water and environment: Maybe a hazard to drinking water sources when very large quantities get into groundwater. Inform the responsible authorities.
<b>Method of Containment:</b>	Collect leaking and spilled liquid in sealable containers as far as possible.
<b>Method of Clean-up:</b>	Clean up of spills requires no special equipment or procedures. Clean with copious amounts of water.
<b>Other Information:</b>	Not Applicable
<b>Spillage Disposal</b>	Evacuate danger area! Ventilation. Collect leaking liquid in sealable containers. Wash away remainder with plenty of water. Remove vapour with fine water spray. Chemical protection suit including self-contained breathing apparatus.

## 7. HANDLING AND STORAGE

<b>Handling:</b>	Wear appropriate PPE. See section 8
<b>Storage:</b>	Keep tightly closed and store at 2 - 8°C. Fireproof. Separated from strong oxidants, food and feedstuffs. Cool.

## 8. EXPOSURE CONTROL

<b>Respiratory Protection:</b>	Ventilation. Local exhaust or breathing protection.
<b>Eye Protection:</b>	Safety goggles or eye protection in combination with breathing protection.
<b>Skin Protection:</b>	Protective gloves. Protective clothing.
<b>Ingestion:</b>	Do not eat, drink, or smoke during work. Wash hands before eating.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

<b>Appearance:</b>	Viscous Colorless Solution - Precipitation may occur
<b>Physical State:</b>	Liquid
<b>Odor:</b>	Not Available
<b>Odor Threshold:</b>	Not Available
<b>pH:</b>	5.4 - 5.8
<b>Boiling Point:</b>	148 °F/64 °C
<b>Melting Point</b>	-98°C
<b>Evaporation Rate:</b>	>1
<b>Relative density</b>	(water = 1): 0.79
<b>Solubility in water:</b>	miscible

SDS-10329

Rev. Number: 3

Rev. Date: Dec 21, 2021

<b>Vapour pressure</b>	kPa at 20°C: 12.3
<b>Vapor Density:</b>	(air = 1): 1.1
	Relative density of the vapour/air-mixture at 20°C (air = 1): 1.01
<b>Vapor Pressure:</b>	127 mm Hg
<b>Relative Density:</b>	Not Available
<b>Auto-Ignition Temperature:</b>	464°C
<b>Water Solubility:</b>	Not Available
<b>Flammability:</b>	Flammable
<b>Flash Point:</b>	12°C c.c.
<b>Viscosity:</b>	Not Available
<b>Oxidizing Properties:</b>	Not Available
<b>Explosive Properties:</b>	vol% in air: 5.5-44
<b>Additional Parameters:</b>	Octanol/water partition coefficient as log Pow: - 0.82/-0.66

## 10. STABILITY AND REACTIVITY

<b>Chemical Stability:</b>	Stable under normal conditions
<b>Conditions to Avoid:</b>	Data for 100% Methyl Alcohol: Reacts violently with oxidants. This generates fire and explosion hazard. The vapour mixes well with air, explosive mixtures are easily formed.
<b>Incompatibility Materials to Avoid:</b>	Strong oxidizing agents and reducing agents
<b>Hazardous Decomposition Products:</b>	Carbon Monoxide, Carbon Dioxide
<b>Hazardous Polymerization:</b>	Will not occur
<b>Possibility of Hazardous Reactions:</b>	Data for 100% Methyl Alcohol: Reacts violently with oxidants. This generates fire and explosion hazard. The vapour mixes well with air, explosive mixtures are easily formed.
<b>CHEMICAL DANGERS:</b>	Reacts violently with oxidants causing fire and explosion hazard.
<b>PHYSICAL DANGERS:</b>	The vapour mixes well with air, explosive mixtures are easily formed.

## 11. TOXICOLOGY MEASURES

### Acute Toxicity

The toxicological risks are minor due to the low concentration of hazardous ingredients. The following toxicological information is for the hazardous ingredient in pure form.

<b>LD50 Oral:</b>	Data for 100% Methyl Alcohol: LD50 oral rat: 5630 mg/kg Reference: Gigiena Truda i Professional'nye Zabolevaniya. Labor Hygiene and Occupational Diseases. Vol. 19(11), Pg. 27, 1975. Acutely Toxic
<b>LD50 Dermal:</b>	Data for 100% Methyl Alcohol: LD50 dermal Rabbit : 15800 mg/kg Reference: Raw Material Data Handbook, Vol.1: Organic Solvents, 1974. Vol. 1, Pg. 74, 1974. Acutely Toxic
<b>LC50 Inhalation:</b>	Data for 100% Methyl Alcohol: LC50 inhalation rat: 83,9 mg/l/4 h Reference: Raw Material Data Handbook, Vol.1: Organic Solvents, 1974. Vol. 1, Pg. 74, 1974. Acutely Toxic

SDS-10329

Rev. Number: 3

Rev. Date: Dec 21, 2021

**Chronic Toxicity****Carcinogenicity:**

Not Available

**Irritation:**

Data for 100% Methyl Alcohol: Main toxic effects:

## Acute:

Irritation to the eyes, CNS depression, systemic damage to the eyes

## Chronic:

Neurological symptoms, irritation to the nasal mucous membranes through exposure to higher vapor concentrations, damage to the skin due to repeated contact.

**Corrosivity:**

Not Applicable

**Sensitization:**

Not Applicable

**Neurological Effects:**

Not Applicable

**Mutagenic Effects:**

Not Applicable

**Reproductive Effects:**

Not Applicable

**Developmental Effects:**

This product contains the following Proposition 65 chemicals: Methanol Type of Toxicity: developmental CAS No. 67-56-1 Date Listed: March 16, 2012

**Target Organ Effects:**

Data for 100% Methyl Alcohol: Eyes, skin, respiratory system, central nervous system, gastrointestinal tract

**Other adverse effects:**

Data for 100% Methyl Alcohol: Effects of short-term exposure

The substance is irritating to the eyes, skin and respiratory tract. The substance may cause effects on the central nervous system. This may result in loss of consciousness. Exposure could cause blindness and death. The effects may be delayed. Medical observation is indicated.

## Effects of long-term or repeated exposure

Repeated or prolonged contact with skin may cause dermatitis. The substance may have effects on the central nervous system. This may result in persistent or recurring headaches and impaired vision.

**12. ECOLOGICAL MEASURES****Ecotoxicity:**

Data for 100% Methyl Alcohol: Acute Toxicity to Fish - LC50 Fish (96 hours)

Minimum: 15000 mg/l

Maximum: 29400 mg/l

Median: 24000 mg/l

Study number: 8

Reference: Poirier, S.H., M.L. Knuth, C.D. Anderson-Buchou, L.T. Brooke, A.R. Lima, and P.J. Shubat 1986. Comparative Toxicity of Methanol and N,N-Dimethylformamide to Freshwater Fish and Invertebrates. Bull. Environ. Contam. Toxicol. 37(4):615-621; Bengtsson, B.E., L. Renberg, and M. Tarkpea 1984. Molecular Structure and Aquatic Toxicity - an Example with C1-C13 Aliphatic Alcohols. Chemosphere 13(5/6):613-622

**Persistence/Degradability:**

Not Applicable

**Mobility in Environmental Media:**

Not Applicable

**Bioaccumulation / Accumulation:**

Not Applicable

SDS-10329

Rev. Number: 3

Rev. Date: Dec 21, 2021

### 13. DISPOSAL MEASURES

<b>Waste Disposal Method:</b>	Treatment, storage and transportation must comply with all Federal, State, and Local laws concerning health and pollution.
<b>Contaminated Packaging:</b>	Avoid contact with skin and clothing. Place contaminated packaging in a break proof outer vessel and dispose on in compliance with national and local regulations.
<b>US EPA Waste Number:</b>	Not Available

### 14. TRANSPORTATION MEASURES

<b>DOT:</b>	Data for 100% Methyl Alcohol: UN Classification UN Hazard Class: 3 (6.1); UN Subsidiary Risks: 6.1; UN Pack Group: II
<b>IATA:</b>	UN1992; Flammable Liquids, Toxic, n.o.s (methanol solution), 3(6.1), E1, Excepted quantity label
<b>ADR (road)/ RID (rail):</b>	UN1992; Flammable Liquids, Toxic, n.o.s (methanol solution), 3(6.1), E1, Excepted quantity label
<b>IMDG (sea):</b>	UN1992; Flammable Liquids, Toxic, n.o.s (methanol solution), 3(6.1), E1, Excepted quantity label
<b>General Transport Regulations</b>	Data for 100% Methyl Alcohol: Transport Emergency Card: TEC (R)-30S1230.

### 15. REGULATORY MEASURES

**This product is a mixture that may contain one or more hazardous chemicals. The hazardous ingredients listed are only those as required by 29 CFR 1910.1200 (OSHA HCS).**

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains no chemical or chemicals which are subject to the reporting requirements of the Act and Title 40n of the Code of Federal Regulations, Part 372. SARA Section 311/312

#### **Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (See 40 CFR 61)**

This product contains no chemicals which are subject to the reporting requirements of the Clean Air Act.

#### **State Regulations**

##### **California Proposition 65:**

This product contains the following Proposition 65 chemicals

Methanol Type of Toxicity: developmental CAS No. 67-56-1 Date Listed: March 16, 2012

##### **State Right to Know Act**

<b>Chemical Name:</b>	<b>Methyl Alcohol</b>
<b>Massachusetts:</b>	Listed
<b>New Jersey:</b>	Listed
<b>Pennsylvania:</b>	Listed
<b>New York:</b>	Listed
<b>Rhode Island:</b>	Listed



SDS-10329

Rev. Number: 3

Rev. Date: Dec 21, 2021

**International Inventories**

<b>Chemical Name:</b>	<b>Methyl Alcohol</b>
<b>TSCAL:</b>	Listed
<b>DSL:</b>	Listed
<b>NDSL:</b>	Not Listed
<b>EINECS:</b>	Listed
<b>CHINA:</b>	Listed
<b>KECL:</b>	Listed
<b>JAPAN:</b>	Listed
<b>AICS:</b>	Listed

**EU Regulations**

<b>Annex I Index #:</b>	Annex I Index# : 603-001-00-X
<b>Classification:</b>	See below

**REACH (EU) 1907/2006**

<b>Annex I Index#</b>	Data for 100% Methyl Alcohol: Annex I Index# : 603-001-00-X <b><u>Classification according to EC No. 1272/2008 and GHS – US</u></b>
<b>Classification</b>	Flammable liquids, Category 2; H225 Acute toxicity, Category 3, inhalation; H331 Acute toxicity, Category 3, dermal; H311 Acute toxicity, Category 3, oral; H301 Specific Target Organ Toxicity (single exposure), Category 2; H371
<b>Hazard Statements</b>	H225: Highly flammable liquid and vapour. H331: Toxic if inhaled. H311: Toxic in contact with skin. H301: Toxic if swallowed. H371: May cause damage to organs.
<b>Precautionary statements</b>	P210: Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking. P233: Keep container tightly closed. P240: Ground/bond container and receiving equipment. P241: Use explosion-proof electrical/ ventilating/ lighting equipment. P242: Use only non-sparking tools. P243: Take precautionary measures against static discharge. P280: Wear protective gloves/ protective clothing/ eye protection/ face protection.  P260: Do not breathe dust/ fume/ gas/mist/ vapours/ spray. P271: Use only outdoors or in a well-ventilated area. P284: Wear respiratory protection. P264 : Wash skin thoroughly after handling. P270: Do not eat, drink or smoke when using this product.
<b>Symbols and Indications of Danger</b>	GHS02 GHS06 GHS08 Dgr: Danger
<b>Specific Concentration Limits</b>	STOT SE 1; H370: C >= 10 % STOT SE 2; H371: 3 % <= C < 10 %
<b>Export and Import</b>	This substance is not listed in the Annex I of Regulation (EC) No 649/2012.

SDS-10329

Rev. Number: 3

Rev. Date: Dec 21, 2021

**European Priority List**

This substance is not listed in a priority list (as foreseen under Council Regulation (EEC) No 793/93 on the evaluation and control of the risks of existing substances.).

## **16. OTHER INFORMATION**

The above information is believed to be accurate, complete and current but does not purport to be all inclusive and shall be used as a guide. LGC Clinical Diagnostics, Inc makes no representation or warranties with respect to the product described herein, including but not limited to any implied warranties or merchantability or fitness for a particular use. LGC Clinical Diagnostics, Inc assumes no liability or responsibility and authorizes no other person to assume any additional liability or responsibility as a result of the use of this product or the information contained in the Safety Data Sheet.