

KIT - 4 CN Peroxidase Substrate System 2-C

SDS-10328 Rev. Date: Jun 1, 2020 Rev. Number: 2

1. PRODUCT AND COMPANY IDENTIFICATION

Product Description: Product Code

4 CN Peroxidase Substrate System (2-C) 5420-0024 (50-73-04)

Kit Components Part Code

4-CN Solution 5420-0022 (50-73-02) Peroxidase Substrate Solution B 5120-0038 (50-65-02)

Recommended

Reagent

Use: Contact

SeraCare Life Sciences

910 Clopper Road Manufacturer: Gaithersburg, MD

20878

Phone #: (508) 244-6400

US Toll Free: (800) 676-1881

Fax #: (508) 634-3394

Web: www.seracare.com

Email: customerservice@seracare.com

Emergency Telephone Numbers:

AUSTRALIA - POISONS INFORMATION

CENTER

CANADIAN TRANSPORT EMERGENCY

CENTER

UK - THE NATIONAL FOCUS

USA - NATIONAL RESPONSE CENTER

Telephone: 13 11 26 - Hours: 24 hours

(1) 613 996 6666 - Hours: 24 hours/day, 7

days/week

Telephone: (44) 029 2041 6388 - Hours: 09:00-17:00 GMT

(1) 800 424 8802 - Hours: 24 hours/day, 7 Telephone:

days/week

CHEMTREC: CHEMTREC Customer Number: - CCN12505*

For Chemical Emergency Spill, Leak, Fire, Exposure, or Accident

Call CHEMTREC Day or Night

Within USA and Canada: 1-800-424-9300 CCN12505 or

+1 703-527-3887 (collect calls accepted)

Telephone:



Safety Data Sheet

4 CN Peroxidase Substrate

SDS-10329 Rev. Number: 3 Rev. Date: Dec 21, 2021

1. PRODUCT AND COMPANY IDENTIFICATION

Material Number Product Description: 4 CN Substrate 5420-0023 (50-73-03) 4 CN Substrate 5420-0021 (50-73-01) 4 CN Substrate 5420-0022 (50-73-02)

Hazardous Reagent Hazardous Reagent Product code

4 CN Substrate Catalog No. listed above

Recommended Use: Reference Reagent For

Research Use Only.

Contact LGC Clinical Diagnostics, Inc.

Manufacturer: 910 Clopper Road

Gaithersburg, MD 20878

Phone #: (508) 244-6400

US Toll Free: (800) 676-1881

Fax #: (508) 634-3394

Web: www.seracare.com

Email: CDx-CustomerService@LGCGroup.com

Emergency Telephone Numbers:

AUSTRALIA - POISONS INFORMATION CENTER Telephone: 13 11 26 - Hours: 24 hours

CANADIAN TRANSPORT EMERGENCY CENTER Telephone: (1) 613 996 6666 - Hours: 24 hours/day,

7 days/week

UK - THE NATIONAL FOCUS (44) 029 2041 6388 - Hours: 09:00-17:00 GMT Telephone:

USA - NATIONAL RESPONSE CENTER Telephone: (1) 800 424 8802 - Hours: 24 hours/day,

7 days/week

CHEMTREC: CHEMTREC Customer Number: - CCN12505*

For Chemical Emergency Spill, Leak, Fire, Exposure, or Accident

Call CHEMTREC Day or Night

Within USA and Canada: 1-800-424-9300 CCN12505 or

+1 703-527-3887 (collect calls accepted)

HAZARD IDENTIFICATION 2.

Hazard Type: Health Hazard

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

GHS Classification: Flammable liquids, Category 2; H225

Acute toxicity, Category 3, inhalation; H331 Acute toxicity, Category 3, dermal; H311 Acute toxicity, Category 3, oral; H301

Specific Target Organ Toxicity (single exposure), Category 2; H371

Biological Hazard: None. Product does not contain any human or animal origin materials.

Hazard Statements: H225: Highly flammable liquid and vapour.

H331: Toxic if inhaled.

H311: Toxic in contact with skin. H301: Toxic if swallowed.

H371: May cause damage to organs.

Precautionary Statements: P210: Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking

P233: Keep container tightly closed.

P240: Ground/bond container and receiving equipment.

P241: Use explosion-proof electrical/ ventilating/ lighting equipment. P242: Use only non-

sparking tools.

P243: Take precautionary measures against static discharge.

P280: Wear protective gloves/ protective clothing/ eye protection/ face protection.

P260: Do not breathe dust/ fume/ gas/mist/ vapours/ spray. P271: Use only outdoors or in a well-ventilated area.

P284: Wear respiratory protection.

P264: Wash skin thoroughly after handling.

P270: Do not eat, drink or smoke when using this product.

Symbols and Indications of Danger:

GHS02 GHS06 GHS08 Dgr: Danger







Principle Route of Exposure: The substance can be absorbed into the body by inhalation and through the skin and by

ingestion.

Acute Effects: Eye In case of contact, immediately flush eyes with a large amount of water for at least 15

minutes while holding the eyelids open to assure that the entire surface is flushed. Seek

medical attention.

Acute Effects: Skin Remove contaminated clothing and shoes. In case of contact, immediately wash the

contact area thoroughly with soap and a large amount of water. Seek medical attention.

Acute Effects: Inhalation Remove user to fresh air. If symptoms of intoxication or vision problems are apparent,

seek immediate medical attention

Inhalation Risk: A harmful contamination of the air can be reached rather quickly on evaporation of this

substance at 20°C.

Short-Term Exposure: The substance is irritating to the eyes, the skin and the respiratory tract. The substance

may cause effects on the central nervous system, resulting in loss of consciousness.

Long-Term Exposure: Repeated or prolonged contact with skin may cause dermatitis. The substance may have

effects on the central nervous system, resulting in persistent or recurring headaches and

impaired vision.

Redness. Pain.

MAY BE ABSORBED! Dry skin. Redness.

Cough. Dizziness. Headache. Nausea. Weakness. Visual disturbance.

Abdominal pain. Shortness of breath. Vomiting. Convulsions. Unconsciousness. (Further

see Inhalation).

Ingestion: Do not eat, drink, or smoke during work.

3. COMPOSITION/INFORMATION ON INGREDIENTS

 Component
 Chemical
 % Weight
 CAS #

 4 CN Peroxidase
 Methyl Alcohol
 <20%</td>
 67-56-1

Substrate

GHS Classification: Flammable liquids, Category 2; H225

Acute toxicity, Category 3, inhalation; H331 Acute toxicity, Category 3, dermal; H311 Acute toxicity, Category 3, oral; H301

Specific Target Organ Toxicity (single exposure), Category 2; H371

4. FIRST AID MEASURES

General Advice: Wash contaminated clothing before reuse. Seek medical attention if necessary.

Induce vomiting (ONLY IN CONSCIOUS PERSONS!). Refer for medical attention.

Oral Exposure: Avoid swallowing the material. Do not induce vomiting unless directed to do so by medical

personnel. Never give anything by mouth to an unconscious or convulsing person. If

conscious, rinse mouth with water. Seek medical attention.

Inhalation Exposure: Fresh air, rest. Refer for medical attention.

Skin Exposure: Remove contaminated clothes. Rinse skin with plenty of water or shower. Refer for

medical attention.

Eye Exposure: First rinse with plenty of water for several minutes (remove contact lenses if easily

possible), then take to a doctor.

5. FIRE FIGHTING MEASURES

Extinguishing Media: Use dry chemical, alcohol-resistant foam or carbon dioxide for the surrounding fire.

Fire Acute Hazard: Highly flammable. See Notes.

Fire Prevention: NO open flames, NO sparks, and NO smoking. NO contact with oxidants. **Fire Fighting:** Powder, alcohol-resistant foam, water in large amounts, carbon dioxide.

Explosion Acute Hazard: Vapour/air mixtures are explosive.

Closed system, ventilation, explosion-proof electrical equipment and lighting. Do NOT use

compressed air for filling, discharging, or handling. Use non-sparking handtools.

In case of fire: keep drums, etc., cool by spraying with water.

CHEMICAL DANGERS: Reacts violently with oxidants causing fire and explosion hazard.

PHYSICAL DANGERS: The vapour mixes well with air, explosive mixtures are easily formed.

Unusual Fire and Explosive

Hazards:

May emit toxic and/or explosive vapors under fire conditions.

Flash Point: 80 °F (26.5 °C)

Auto Ignition Temperature: 725 °F (385 °C)

Flammability Statement: This product is flammable (flammable limits LEL=6.7 and UEL=36).

Specific Hazards Arising from the Chemical:

Hazardous combustion products may include carbon monoxide, formaldehyde, and carbon

dioxide.

Protective Equipment and Precautions for Firefighters:

Wear self-contained breathing apparatus and protective clothing to prevent exposure to

eyes and skin. Flame invisible in daylight.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions: Data for 100% Methyl Alcohol (67-56-1): Precautionary Statement - P-phrases:

P210: Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P233: Keep container tightly closed.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352: IF ON SKIN: Wash with plenty of soap and water.

P309+P310: IF exposed or if you feel unwell: Immediately call a POISON CENTER or

doctor/physician. (Unofficial P-phrase combination)

Environmental Precautions: Data for 100% Methyl Alcohol (67-56-1): Endangerment of drinking water and environment:

Maybe a hazard to drinking water sources when very large quantities get into groundwater.

Inform the responsible authorities.

Method of Containment: Collect leaking and spilled liquid in sealable containers as far as possible.

Method of Clean-up: Clean up of spills requires no special equipment or procedures. Clean with copious

amounts of water.

Other Information: Not Applicable

Spillage Disposal Evacuate danger area! Ventilation. Collect leaking liquid in sealable containers. Wash

away remainder with plenty of water. Remove vapour with fine water spray. Chemical

protection suit including self-contained breathing apparatus.

7. HANDLING AND STORAGE

Handling: Wear appropriate PPE. See section 8

Storage: Keep tightly closed and store at 2 - 8°C.

Fireproof. Separated from strong oxidants, food and feedstuffs. Cool.

8. EXPOSURE CONTROL

Respiratory Protection: Ventilation. Local exhaust or breathing protection.

Eye Protection: Safety goggles or eye protection in combination with breathing protection.

Skin Protection: Protective gloves. Protective clothing.

Ingestion: Do not eat, drink, or smoke during work. Wash hands before eating.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Viscous Colorless Solution - Precipitation may occur

Physical State: Liquid

Odor: Not Available
Odor Threshold: Not Available
pH: 5.4 - 5.8

Boiling Point: 148 °F/64 °C°C

Melting Point -98°C Evaporation Rate: >1

Relative density (water = 1): 0.79

Solubility in water: miscible

4 CN Peroxidase Substrate.

SDS-10329 Rev. Number: 3 Rev. Date: Dec 21, 2021

Vapour pressure kPa at 20°C: 12.3

Vapor Density: (air = 1): 1.1

Relative density of the vapour/air-mixture at 20°C (air = 1): 1.01

Vapor Pressure: 127 mm Hg
Relative Density: Not Available

Auto-Ignition Temperature: 464°C

Water Solubility:

Flammability:

Flammable

12°C c.c.

Viscosity:

Not Available

Oxidizing Properties:

Not Available

Explosive Properties:

vol% in air: 5.5-44

Additional Parameters: Octanol/water partition coefficient as log Pow: - 0.82/-0.66

10. STABILITY AND REACTIVITY

Chemical Stability: Stable under normal conditions

Conditions to Avoid: Data for 100% Methyl Alcohol: Reacts violently with oxidants. This generates fire and

explosion hazard. The vapour mixes well with air, explosive mixtures are easily formed.

Incompatibility Materials to

Avoid:

Strong oxidizing agents and reducing agents

Hazardous Decomposition

Products:

Carbon Monoxide, Carbon Dioxide

Hazardous Polymerization: Will not occur

Possibility of Hazardous

Reactions:

Data for 100% Methyl Alcohol: Reacts violently with oxidants. This generates fire and explosion hazard. The vapour mixes well with air, explosive mixtures are easily formed.

CHEMICAL DANGERS: Reacts violently with oxidants causing fire and explosion hazard.

PHYSICAL DANGERS: The vapour mixes well with air, explosive mixtures are easily formed.

11. TOXICOLOGY MEASURES

Acute Toxicity

The toxicological risks are minor due to the low concentration of hazardous ingredients. The following toxicological information is for the hazardous ingredient in pure form.

Data for 100% Methyl Alcohol: LD50 oral rat: 5630 mg/kg

LD50 Oral: Reference: Gigiena Truda i Professional'nye Zabolevaniya. Labor Hygiene and

Occupational Diseases. Vol. 19(11), Pg. 27, 1975. Acutely Toxic

Data for 100% Methyl Alcohol: LD50 dermal Rabbit: 15800 mg/kg

LD50 Dermal: Reference: Raw Material Data Handbook, Vol.1: Organic Solvents, 1974. Vol. 1, Pg. 74,

1974. Acutely Toxic

Data for 100% Methyl Alcohol: LC50 inhalation rat: 83,9 mg/l/4 h

LC50 Inhalation: Reference: Raw Material Data Handbook, Vol.1: Organic Solvents, 1974. Vol. 1, Pg. 74,

1974. Acutely Toxic

4 CN Peroxidase Substrate.

SDS-10329 Rev. Number: 3 Rev. Date: Dec 21, 2021

Chronic Toxicity

Carcinogenicity: Not Available

Irritation: Data for 100% Methyl Alcohol: Main toxic effects:

Acute:

Irritation to the eyes, CNS depression, systemic damage to the eyes

Neurological symptoms, irritation to the nasal mucous membranes through exposure to

higher vapor concentrations, damage to the skin due to repeated contact.

Corrosivity: Not Applicable Sensitization: Not Applicable **Neurological Effects:** Not Applicable **Mutagenic Effects:** Not Applicable **Reproductive Effects:** Not Applicable

This product contains the following Proposition 65 chemicals: Methanol Type of Toxicity: **Developmental Effects:**

developmental CAS No. 67-56-1 Date Listed: March 16, 2012

Data for 100% Methyl Alcohol: Eyes, skin, respiratory system, central nervous system, **Target Organ Effects:**

gastrointestinal tract

Other adverse effects: Data for 100% Methyl Alcohol: Effects of short-term exposure

> The substance is irritating to the eyes, skin and respiratory tract. The substance may cause effects on the central nervous system. This may result in loss of consciousness. Exposure could cause blindness and death. The effects may be delayed. Medical

observation is indicated.

Effects of long-term or repeated exposure

Repeated or prolonged contact with skin may cause dermatitis. The substance may have

effects on the central nervous system. This may result in persistent or recurring

headaches and impaired vision.

12. ECOLOGICAL MEASURES

Ecotoxicity: Data for 100% Methyl Alcohol: Acute Toxicity to Fish - LC50 Fish (96 hours)

> Minimum: 15000 mg/l Maximum: 29400 mg/l Median: 24000 mg/l Study number: 8

Reference: Poirier, S.H., M.L. Knuth, C.D. Anderson-Buchou, L.T. Brooke, A.R. Lima, and P.J. Shubat 1986. Comparative Toxicity of Methanol and N.N-Dimethylformamide to Freshwater Fish and Invertebrates. Bull.Environ.Contam.Toxicol. 37(4):615-621; Bengtsson, B.E., L. Renberg, and M. Tarkpea 1984. Molecular Structure and Aquatic Toxicity - an Example with C1-C13 Aliphatic Alcohols. Chemosphere 13(5/6):613-622

Persistence/Degradability: Not Applicable **Mobility in Environmental** Not Applicable

Media:

Bioaccumulation / Not Applicable

Accumulation:

13. DISPOSAL MEASURES

Waste Disposal Method: Treatment, storage and transportation must comply with all Federal, State, and Local laws

concerning health and pollution.

Contaminated Packaging: Avoid contact with skin and clothing. Place contaminated packaging in a break proof outer

vessel and dispose on in compliance with national and local regulations.

US EPA Waste Number: Not Available

14. TRANSPORTATION MEASURES

DOT: Data for 100% Methyl Alcohol: UN Classification

UN Hazard Class: 3 (6.1); UN Subsidiary Risks: 6.1; UN

Pack Group: II

IATA: UN1992; Flammable Liquids, Toxic, n.o.s (methanol solution), 3(6.1), E1, Excepted

quantity label

ADR (road)/ RID (rail): UN1992; Flammable Liquids, Toxic, n.o.s (methanol solution), 3(6.1), E1, Excepted

quantity label

IMDG (sea): UN1992; Flammable Liquids, Toxic, n.o.s (methanol solution), 3(6.1), E1, Excepted

quantity label

General Transport Data for 100% Methyl Alcohol:

Regulations Transport Emergency Card: TEC (R)-30S1230.

15. REGULATORY MEASURES

This product is a mixture that may contain one or more hazardous chemicals. The hazardous ingredients listed are only those as required by 29 CFR 1910.1200 (OSHA HCS).

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains no chemical or chemicals which are subject to the reporting requirements of the Act and Title 40n of the Code of Federal Regulations, Part 372. SARA Section 311/312

Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (See 40 CFR 61)

This product contains no chemicals which are subject to the reporting requirements of the Clean Air Act.

State Regulations

California Proposition 65:

This product contains the following Proposition 65

Methanol Type of Toxicity: developmental CAS No. 67-56-1 Date Listed: March 16, 2012

chemicals

State Right to Know Act

Chemical Name: Methyl Alcohol

Massachusetts: Listed
New Jersey: Listed
Pennsylvania: Listed
New York: Listed
Rhode Island: Listed

4 CN Peroxidase Substrate.

SDS-10329 Rev. Number: 3 Rev. Date: Dec 21, 2021

International Inventories

Chemical Name: Methyl Alcohol

TSCAL: Listed DSL: Listed NDSL: Not Listed **EINECS:** Listed CHINA: Listed **KECL:** Listed JAPAN: Listed AICS: Listed

EU Regulations

Annex I Index #: Annex I Index#: 603-001-00-X

Classification: See below

REACH (EU) 1907/2006

Annex I Index# Data for 100% Methyl Alcohol:

Annex I Index# : 603-001-00-X

Classification according to EC No. 1272/2008 and GHS - US

Classification Flammable liquids, Category 2; H225

Acute toxicity, Category 3, inhalation; H331 Acute toxicity, Category 3, dermal; H311 Acute toxicity, Category 3, oral; H301

Specific Target Organ Toxicity (single exposure), Category 2; H371

Hazard Statements H225: Highly flammable liquid and vapour.

H331: Toxic if inhaled.

H311: Toxic in contact with skin. H301: Toxic if swallowed.

H371: May cause damage to organs.

Precautionary statements P210: Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking.

P233: Keep container tightly closed.

P240: Ground/bond container and receiving equipment.

P241: Use explosion-proof electrical/ ventilating/ lighting equipment.

P242: Use only non-sparking tools.

P243: Take precautionary measures against static discharge.

P280: Wear protective gloves/ protective clothing/ eye protection/ face protection.

P260: Do not breathe dust/ fume/ gas/mist/ vapours/ spray. P271: Use only outdoors or in a well-ventilated area.

P284: Wear respiratory protection.

P264: Wash skin thoroughly after handling.

P270: Do not eat, drink or smoke when using this product.

Symbols and Indications of

Danger

GHS02 GHS06 GHS08 Dgr: Danger

Specific Concentration Limits STOT SE 1; H370: C >= 10 %

STOT SE 2; H371: 3 % <= C < 10 %

Export and Import This substance is not listed in the Annex I of Regulation (EC) No 649/2012.

Page 9 of 9

4 CN Peroxidase Substrate.

SDS-10329 Rev. Number: 3 Rev. Date: Dec 21, 2021

European Priority List

This substance is not listed in a priority list (as foreseen under Council Regulation (EEC) No 793/93 on the evaluation and control of the risks of existing substances.).

16. OTHER INFORMATION

The above information is believed to be accurate, complete and current but does not purport to be all inclusive and shall be used as a guide. LGC Clinical Diagnostics, Inc makes no representation or warranties with respect to the product described herein, including but not limited to any implied warranties or merchantability or fitness for a particular use. LGC Clinical Diagnostics, Inc assumes no liability or responsibility and authorizes no other person to assume any additional liability or responsibility as a result of the use of this product or the information contained in the Safety Data Sheet.