

Safety Data Sheet



Revision Date: 7/31/2014

SDS #: SDS-10286-02

LUMIGLO ULTRA™ WESTERN BLOTTING SUBSTRATE

1. PRODUCT AND COMPANY IDENTIFICATION

Product Description:

LUMIGLO ULTRA™ WESTERN BLOTTING SUBSTRATE

Product Code

54-51-00

Kit Components:

LUMIGLO ULTRA SOLUTION A	54-49-01
LUMIGLO ULTRA SOLUTION B	54-50-01

Recommended Use Kit (See Attached Safety Data Sheets For Components Listed Above)

Contact Manufacturer KPL, Inc.
910 Clopper Road
Gaithersburg, Maryland 20878
USA

Phone #: 1-301-948-7755
Fax #: 1-301-948-0169
Web: www.kpl.com
Email: kplmsds@seracare.com

Emergency Telephone Numbers:

AUSTRALIA – POISONS INFORMATION CENTER	Telephone: 13 11 26	Hours: 24 hours
CANADIAN TRANSPORT EMERGENCY CENTER	Telephone: (1) 613 996 6666	Hours: 24 hours/day, 7 days/week
UK – THE NATIONAL FOCUS	Telephone: (44) 029 2041 6388	Hours: 09:00-17:00 GMT
USA- NATIONAL RESPONSE CENTER	Telephone: (1) 800 424 8802	Hours: 24 hours/day, 7 days/week

CHEMTREC:

CHEMTREC Customer Number:- CCN12505*
For Chemical Emergency Spill, Leak, Fire, Exposure, or Accident
Call CHEMTREC Day or Night
Within USA and Canada: 1-800-424-9300 CCN12505 or
+1 703-527-3887 (collect calls accepted)

Safety Data Sheet



Revision Date: 7/30/2014

SDS # SDS-10282-02

LUMIGLO ULTRA SOL A

1. PRODUCT AND COMPANY IDENTIFICATION

Product Description:	Product Code
LUMIGLO ULTRA SOLUTION A	54-49-01
LUMIGLO ULTRA SOLUTION A	54-49-00

Hazardous Reagent
LUMIGLO ULTRA SOLUTION A

Hazardous Reagent Product code
Catalog No. listed above

Recommended Use Reagent

Contact Manufacturer KPL, Inc.
910 Clopper Road
Gaithersburg, Maryland 20878
USA

Phone #: 1-301-948-7755
Fax #: 1-301-948-0169
Web: www.kpl.com
Email: kplmsds@seracare.com

Emergency Telephone Numbers:

AUSTRALIA – POISONS INFORMATION CENTER	Telephone: 13 11 26	Hours: 24 hours
CANADIAN TRANSPORT EMERGENCY CENTER	Telephone: (1) 613 996 6666	Hours: 24 hours/day, 7 days/week
UK – THE NATIONAL FOCUS	Telephone: (44) 029 2041 6388	Hours: 09:00-17:00 GMT
USA- NATIONAL RESPONSE CENTER	Telephone: (1) 800 424 8802	Hours: 24 hours/day, 7 days/week

CHEMTREC: CHEMTREC Customer Number:- CCN12505*
For Chemical Emergency Spill, Leak, Fire, Exposure, or Accident
Call CHEMTREC Day or Night
Within USA and Canada: 1-800-424-9300 CCN12505 or
+1 703-527-3887 (collect calls accepted)

2. HAZARD IDENTIFICATION

Hazard Type Fire Hazard: Flammable
GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Classification Flammable liquids, Category 2; H225

Hazard Statement H225: Highly flammable liquid and vapour.

Precautionary Statement P210: Keep away from heat, hot surfaces, sparks, open flames and other sources of ignition. No smoking.

Symbols of Danger GHS02 Dgr: Danger



ROUTES OF EXPOSURE:	The substance can be absorbed into the body by inhalation of its vapour and by ingestion.
INHALATION RISK:	A harmful contamination of the air will be reached rather slowly on evaporation of this substance at 20°C.
SHORT-TERM EXPOSURE	The substance irritates the eyes. Inhalation of high concentration of vapour may cause irritation of the eyes and respiratory tract. The substance may cause effects on the central nervous system .
LONG-TERM EXPOSURE:	The liquid defats the skin. The substance may have effects on the upper respiratory tract and central nervous system , resulting in irritation, headache, fatigue and lack of concentration. See Notes.

The product is a Mixture. It May Cause the following symptoms.

EYES: Redness. Pain. Burning.

SKIN: Dry skin.

INHALATION: Cough. Headache. Fatigue. Drowsiness.

INGESTION: Burning sensation. Headache. Confusion. Dizziness. Unconsciousness.

3. COMPOSITION/INFORMATION ON INGREDIENTS

<u>Component</u>	<u>CHEMICAL</u>	<u>% Weight</u>	<u>CAS #:</u>
LUMIGLO ULTRA SOL A	Ethyl Alcohol	≤3.5%	64-17-5

Classification Flammable liquids, Category 2; H225

4. FIRST AID MEASURES

Data for 100% Hazardous Chemical

Ingestion First Aid:	Rinse mouth. Refer for medical attention.
Inhalation First Aid:	Fresh air, rest.
Skin First Aid:	Remove contaminated clothes. Rinse and then wash skin with water and soap.
Eye First Aid:	First rinse with plenty of water for several minutes (remove contact lenses if easily possible), then take to a doctor.

5. FIRE FIGHTING MEASURES

Data For 100% Hazardous Chemical

Fire Acute Hazard:	Fire Prevention:	Fire Fighting:
Highly flammable.	NO open flames, NO sparks, and NO smoking. NO contact with strong oxidants.	Powder, alcohol-resistant foam, water in large amounts, carbon dioxide.
Explosion Acute Hazard:		
Vapour/air mixtures are explosive.	Closed system, ventilation, explosion-proof electrical equipment and lighting. Do NOT use compressed air for filling, discharging, or handling.	In case of fire: keep drums, etc., cool by spraying with water.
CHEMICAL DANGERS:	Reacts slowly with calcium hypochlorite, silver oxide and ammonia, causing fire and explosion hazard. Reacts violently with strong oxidants such as nitric acid, silver nitrate, mercuric nitrate or magnesium perchlorate, causing fire and explosion hazard.	
PHYSICAL DANGERS:	The vapour mixes well with air, explosive mixtures are easily formed.	

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions	Wear appropriate personal protective clothing to prevent skin contact. Remove: Work clothing that becomes wet should be immediately removed due to its flammability hazard(i.e. for liquids with flash point < 100°F)
Environmental Precautions	Not Available
Method of Containment	Collect leaking and spilled liquid in sealable containers as far as possible.
Methods of Clean-up	Wash away remainder with plenty of water.
Other Information	Data for 100% Ethyl Alcohol: Non-Fire Response

Keep sparks, flames, and other sources of ignition away. Keep material out of water sources and sewers. Build dikes to contain flow as necessary. Attempt to stop leak if without undue personnel hazard. Use water spray to knock-down vapor.

Land spill: Dig a pit, pond, lagoon, holding area to contain liquid or solid material. Dike surface flow using soil, sand bags, foamed polyurethane, or foamed concrete. Absorb bulk liquid with fly ash, cement powder, or commercial sorbents.

Water spill: Use natural barriers or oil spill control booms to limit spill travel. Remove trapped material with suction hoses. (AAR, 2003)

Data for 100% Hazardous Chemical

SPILLAGE DISPOSAL	Ventilation. Remove all ignition sources. Collect leaking and spilled liquid in sealable containers as far as possible. Wash away remainder with plenty of water.
--------------------------	---

7. HANDLING AND STORAGE

Handling: Wear appropriate PPE.

Storage: Keep tightly closed and store at 2 - 8°C. Bring to room temperature before opening.

Data for 100% Hazardous Chemical

STORAGE	Fireproof. Separated from strong oxidants.
----------------	--

8. EXPOSURE CONTROL**Data for 100% Hazardous Chemical**

- INHALATION** Ventilation, local exhaust, or breathing protection.
- EYES** Safety goggles.
- SKIN** Protective gloves.
- INGESTION** Do not eat, drink, or smoke during work.

Engineering Controls NIOSH/OSHA
Up to 3300 ppm:
(APF = 10) Any supplied-air respirator
(APF = 50) Any self-contained breathing apparatus with a full facepiece

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Colorless Solution

Physical State Liquid **pH:** Not Available

Data for 100% Hazardous Chemical

	Boiling point: 79°C	Melting point: -117°C	Relative density (water = 1): 0.8	Solubility in water:	miscible
Vapour pressure, kPa at 20°C: 5.8					
Relative vapour density (air = 1): 1.6	Relative density of the vapour/air-mixture at 20°C (air = 1): 1.03	Flash point: 13°C c.c.	Auto-ignition temperature: 363°C	Explosive limits, vol% in air: 3.3-19	Octanol/water partition coefficient as log Pow: -0.32

10. STABILITY AND REACTIVITY

Chemical Stability Stable under normal conditions

Incompatibility Materials to Avoid Oxidizing agents, Peroxides, Acids, Acid Chlorides, Acid Anhydrides, Alkali Metals, and Ammonia.

Hazardous Decomposition Products Carbon Monoxide, Carbon Dioxide

Hazardous Polymerization Will not occur

Data for 100% Hazardous Chemical

CHEMICAL DANGERS:	Reacts slowly with calcium hypochlorite, silver oxide and ammonia, causing fire and explosion hazard. Reacts violently with strong oxidants such as nitric acid, silver nitrate, mercuric nitrate or magnesium perchlorate, causing fire and explosion hazard.
PHYSICAL DANGERS:	The vapour mixes well with air, explosive mixtures are easily formed.

11. TOXICOLOGY MEASURES

Acute Toxicity

The toxicological risks are minor due to the low concentration of hazardous ingredients. The following toxicological information is for the hazardous ingredient in pure form.

LD50 Oral	Data for 100% Ethyl Alcohol: LD50 Mouse oral 3450 mg/kg; LD50 Guinea pig oral 5.6 g/kg
LD50 Dermal	Data for 100% Ethyl Alcohol: LD50 Rat iv 1440 mg/kg; LD50 Mouse iv 1973 mg/kg
LC50 Inhalation	Data for 100% Ethyl Alcohol: LC50 Mouse inhalation 39 mg/cu m/4 hr; LC50 Rat inhalation 20000 ppm/ 10 hr

Chronic Toxicity

Carcinogenicity	Data for 100% Ethanol: MAK-COMMISSION - Category 5 (No considerable risk)
Irritation	Data for 100% Ethanol: An eye and skin irritant
Corrosivity	Not Available
Sensitization	Not Available
Neurological Effects	Not Available
Mutagenic Effects	Data for 100% Ethyl Alcohol: MAK COMMISSION Germ Cell Mutagenic- Category 5 (Substance with minima effect)
Reproductive Effects	Data for 100% Ethyl Alcohol: Ethanol consumption during pregnancy may adversely affect the unborn child. MAK COMMISSION - Group C (There is no reason to fear a risk of damage to the developing embryo or foetus when MAK and BAT values are adhered to.)
Developmental Effects	Not Available
Target Organ Effects	Data for 100% Ethyl Alcohol: Eyes, skin, respiratory system, central nervous system, liver, blood, reproductive system
Other adverse effects	Data for 100% Ethyl Alcohol: Effects of short-term exposure The substance irritates the eyes. Inhalation of high concentration of vapour may cause irritation of the eyes and respiratory tract. The substance may cause effects on the central nervous system. Effects of long-term or repeated exposure The liquid defats the skin. The substance may have effects on the upper respiratory tract and central nervous system, resulting in irritation, headache, fatigue and lack of concentration.

12. ECOLOGICAL MEASURES

Ecotoxicity	Data for 100% Ethanol: Crustacean (Daphnia magna) EC50 (IMM) 48 hr 9.300 mg/L ; NOEC (Reproduction Rate) 9 day 9.6 mg/L (Slightly harmful in the aquatic environment or otherwise designed for biocidal action)
Persistence/Degradability	Data for 100% Ethanol: Readily biodegradable (74% after 5 days)
Mobility in Environmental Media	Not Available
Bioaccumulation/Accumulation	Data for 100% Ethanol: Not likely to bioaccumulate (calculated logBCF=0.5).

13. DISPOSAL MEASURES

Waste Disposal Method: Treatment, storage and transportation must comply with all Federal, State, and Local laws concerning health and pollution.

Contaminated Packaging: Avoid contact with skin and clothing. Place contaminated packaging in a break proof outer vessel and dispose on in compliance with national and local regulations.

US EPA Waste Number: Not Available

14. TRANSPORTATION MEASURES

DOT: UN-Number : 1170
UN Hazard Class: 3 (Flammable Liquids)
UN Pack Group: II (Medium/ low danger)

IATA: Not Available

ADR (road)/ RID (rail): Not Available

IMDG (sea): Not Available

General Transport Regulations Data for 100% Ethyl Alcohol:
Transport Emergency Card: TEC (R)-30S1170
NFPA Code: H 0; F 3; R 0

15. REGULATORY MEASURES

This product is a mixture that may contain one or more hazardous chemicals. The hazardous ingredients listed are only those as required by 29 CFR 1910.1200 (OSHA HCS).

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains no chemical or chemicals which are subject to the reporting requirements of the Act and and Title 40n of the Code of Federal Regulations, Part 372.

Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (See 40 CFR 61)

Not Listed

State Regulations

California Proposition 65:

This product contains the following Proposition 65 chemicals: Not Listed

State Right to Know Act

Chemical Name	Ethyl Alcohol
Massachusetts	Listed
New Jersey	Listed
Pennsylvania	Listed
New York	Listed
Rhode Island	Not Listed

International Inventories

Chemical Name	Ethyl Alcohol
TSCA	Listed
DSL	Listed
NDSL	Not Listed
EINECS	Listed
CHINA	Listed
KECL	Listed
JAPAN:	Listed
AICS	Listed

EU Regulations

Annex I Index#

Annex I Index# : 603-002-00-5

	Substance Name in Annex 1 : ethanol ethyl alcohol
Classification	Flammable liquids, Category 2; H225
Risk Phrases	H225: Highly flammable liquid and vapour.
Safety Phrases	P210: Keep away from heat, hot surfaces, sparks, open flames and other sources of ignition. No smoking.
Symbols and Indications of Danger	GHS02 Dgr: Danger
Specific Concentration Limits	Not available
Export and Import	This substance is not listed in the Annex I of Regulation (EC) No 649/2012.
European Priority List	This substance is not listed in a priority list (as foreseen under Council Regulation (EEC) No 793/93 on the evaluation and control of the risks of existing substances.).

16. OTHER INFORMATION

The above information is believed to be correct, but does not purport to be all inclusive and shall be used only as a guide. KPL shall not be held liable for any damage resulting from handling or from contact with the above product. Users should make their own investigations to determine the suitability of the information for their particular purposes. This material is sold for research purposes and is intended as laboratory reagents only. It is not intended for food, drug, household, agricultural or cosmetic use. Its use must be supervised by a technically qualified individual experienced in handling potentially hazardous chemicals.

Revision Date: 7/30/2014

Safety Data Sheet



Revision Date: 7/30/2014

SDS # SDS-10281-02

LUMIGLO ULTRA SOL B

1. PRODUCT AND COMPANY IDENTIFICATION

Product Description:	Product Code
LUMIGLO ULTRA SOLUTION B	54-50-01
LUMIGLO ULTRA SOLUTION B	54-50-00

Hazardous Reagent
LUMIGLO ULTRA SOLUTION B

Hazardous Reagent Product code
Catalog No. listed above

Recommended Use Reagent

Contact Manufacturer KPL, Inc.
910 Clopper Road
Gaithersburg, Maryland 20878
USA

Phone #: 1-301-948-7755
Fax #: 1-301-948-0169
Web: www.kpl.com
Email: kplmsds@seracare.com

Emergency Telephone Numbers:

AUSTRALIA – POISONS INFORMATION CENTER	Telephone: 13 11 26	Hours: 24 hours
CANADIAN TRANSPORT EMERGENCY CENTER	Telephone: (1) 613 996 6666	Hours: 24 hours/day, 7 days/week
UK – THE NATIONAL FOCUS	Telephone: (44) 029 2041 6388	Hours: 09:00-17:00 GMT
USA- NATIONAL RESPONSE CENTER	Telephone: (1) 800 424 8802	Hours: 24 hours/day, 7 days/week

CHEMTREC: CHEMTREC Customer Number:- CCN12505*
For Chemical Emergency Spill, Leak, Fire, Exposure, or Accident
Call CHEMTREC Day or Night
Within USA and Canada: 1-800-424-9300 CCN12505 or
+1 703-527-3887 (collect calls accepted)

2. HAZARD IDENTIFICATION

Hazard Type Health, Fire and Environmental Hazard. This product contains the following Proposition 65 chemicals: Methanol Type of Toxicity: developmental CAS No. 67-56-1 Date Listed: March 16, 2012

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Classification Flammable liquids, Category 2; H225
Acute toxicity, Category 3, inhalation; H331
Acute toxicity, Category 3, dermal; H311
Acute toxicity, Category 3, oral; H301
Specific Target Organ Toxicity (single exposure), Category 2; H371

Hazard Statement H225: Highly flammable liquid and vapour.
H331: Toxic if inhaled.
H311: Toxic in contact with skin.
H301: Toxic if swallowed.
H371: May cause damage to organs.

Precautionary Statement P210: Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking.
P233: Keep container tightly closed.
P240: Ground/bond container and receiving equipment.
P241: Use explosion-proof electrical/ ventilating/ lighting equipment.

P242: Use only non-sparking tools.
 P243: Take precautionary measures against static discharge.
 P280: Wear protective gloves/ protective clothing/ eye protection/ face protection.
 P260: Do not breathe dust/ fume/ gas/mist/ vapours/ spray.
 P271: Use only outdoors or in a well-ventilated area.
 P284: Wear respiratory protection.
 P264 : Wash skin thoroughly after handling.
 P270: Do not eat, drink or smoke when using this product.

Symbols of Danger

GHS02 GHS06 GHS08 Dgr: Danger

**Data for 100% Hazardous Chemical**

ROUTES OF EXPOSURE: The substance can be absorbed into the body by inhalation and through the skin and by ingestion.

INHALATION RISK: A harmful contamination of the air can be reached rather quickly on evaporation of this substance at 20°C.

SHORT-TERM EXPOSURE: The substance is irritating to the eyes, the skin and the respiratory tract. The substance may cause effects on the central nervous system, resulting in loss of consciousness.

LONG-TERM EXPOSURE: Repeated or prolonged contact with skin may cause dermatitis. The substance may have effects on the central nervous system, resulting in persistent or recurring headaches and impaired vision.

The product is a Mixture. It May Cause the following symptoms.

EYES: Redness. Pain.

SKIN: MAY BE ABSORBED! Dry skin. Redness.

INHALATION: Cough. Dizziness. Headache. Nausea. Weakness. Visual disturbance.

INGESTION: Abdominal pain. Shortness of breath. Vomiting. Convulsions. Unconsciousness. (Further see Inhalation).

3. COMPOSITION/INFORMATION ON INGREDIENTS

<u>Component</u>	<u>CHEMICAL</u>	<u>% Weight</u>	<u>CAS #:</u>
LUMIGLO ULTRA SOL B	Methyl Alcohol	≤0.5%	67-56-1

Classification

Flammable liquids, Category 2; H225
 Acute toxicity, Category 3, inhalation; H331
 Acute toxicity, Category 3, dermal; H311
 Acute toxicity, Category 3, oral; H301
 Specific Target Organ Toxicity (single exposure),
 Category 2; H371

4. FIRST AID MEASURES

Data for 100% Hazardous Chemical

Ingestion First Aid: Induce vomiting (ONLY IN CONSCIOUS PERSONS!). Refer for medical attention.

Inhalation First Aid: Fresh air, rest. Refer for medical attention.

Skin First Aid: Remove contaminated clothes. Rinse skin with plenty of water or shower. Refer for medical attention.

Eye First Aid: First rinse with plenty of water for several minutes (remove contact lenses if easily possible), then take to a doctor.

5. FIRE FIGHTING MEASURES

Data For 100% Hazardous Chemical

Fire Acute Hazard: Highly flammable. See Notes.	Fire Prevention: NO open flames, NO sparks, and NO smoking. NO contact with oxidants.	Fire Fighting: Powder, alcohol-resistant foam, water in large amounts, carbon dioxide.
Explosion Acute Hazard:		
Vapour/air mixtures are explosive.	Closed system, ventilation, explosion-proof electrical equipment and lighting. Do NOT use compressed air for filling, discharging, or handling. Use non-sparking handtools.	In case of fire: keep drums, etc., cool by spraying with water.
CHEMICAL DANGERS:	Reacts violently with oxidants causing fire and explosion hazard.	
PHYSICAL DANGERS:	The vapour mixes well with air, explosive mixtures are easily formed.	

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions	Data for 100% Methyl Alcoho (67-56-1): Precautionary Statement - P-phrases: P210: Keep away from heat/sparks/open flames/hot surfaces. No smoking. P233: Keep container tightly closed. P280: Wear protective gloves/protective clothing/eye protection/face protection. P302+P352: IF ON SKIN: Wash with plenty of soap and water. P309+P310: IF exposed or if you feel unwell: Immediately call a POISON CENTER or doctor/physician. (Unofficial P-phrase combination)
Environmental Precautions	Data for 100% Methyl Alcoho (67-56-1): Endangerment of drinking water and environment: Maybe a hazard to drinking water sources when very large quantities get into groundwater. Inform the responsible authorities.
Method of Containment	Collect leaking and spilled liquid in sealable containers as far as possible.
Methods of Clean-up	Clean up of spills requires no special equipment or procedures. Clean with copious amounts of water.
Other Information	Not Applicable

Data for 100% Hazardous Chemical

SPILLAGE DISPOSAL	Evacuate danger area! Ventilation. Collect leaking liquid in sealable containers. Wash away remainder with plenty of water. Remove vapour with fine water spray. Chemical protection suit including self-contained breathing apparatus.
--------------------------	---

7. HANDLING AND STORAGE

Handling:	Wear appropriate PPE.
Storage:	Keep tightly closed and store at 2 - 8°C. Bring to room temperature before opening.

Data for 100% Hazardous Chemical

STORAGE	Fireproof. Separated from strong oxidants, food and feedstuffs . Cool.
----------------	--

8. EXPOSURE CONTROL

Data for 100% Hazardous Chemical

• INHALATION	Ventilation. Local exhaust or breathing protection.
• EYES	Safety goggles or eye protection in combination with breathing protection.
• SKIN	Protective gloves. Protective clothing.
• INGESTION	Do not eat, drink, or smoke during work. Wash hands before eating.

Engineering Controls Not Available

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Colorless Solution

Physical State Liquid **pH:** Not Available

Data for 100% Hazardous Chemical

Boiling point: °C	Melting point: -98°C	Relative density (water = 1): 0.79	Solubility in water: miscible	Vapour pressure, kPa at 20°C: 12.3
Relative vapour density (air = 1): 1.1	Relative density of the vapour/air-mixture at 20°C (air = 1): 1.01	Flash point: 12°C c.c.	Auto-ignition temperature: 464°C	Explosive limits, vol% in air: 5.5-44
			Explosive limits, vol% in air: 5.5-44	Octanol/water partition coefficient as log Pow: -0.82/-0.66

10. STABILITY AND REACTIVITY

Chemical Stability Stable under normal conditions

Incompatibility Materials to Avoid Strong oxidizing agents and reducing agents

Hazardous Decomposition Products Carbon Monoxide, Carbon Dioxide

Hazardous Polymerization Will not occur

Data for 100% Hazardous Chemical

CHEMICAL DANGERS: Reacts violently with oxidants causing fire and explosion hazard.

PHYSICAL DANGERS: The vapour mixes well with air, explosive mixtures are easily formed.

11. TOXICOLOGY MEASURES

Acute Toxicity

The toxicological risks are minor due to the low concentration of hazardous ingredients. The following toxicological information is for the hazardous ingredient in pure form.

LD50 Oral Data for 100% Methyl Alcohol: LD50 oral rat: 5630 mg/kg

Reference: Gigiena Truda i Professional'nye Zabolevaniya. Labor Hygiene and Occupational Diseases. Vol. 19(11), Pg. 27, 1975. Acutely Toxic

LD50 Dermal Data for 100% Methyl Alcohol: LD50 dermal Rabbit : 15800 mg/kg

Reference: Raw Material Data Handbook, Vol.1: Organic Solvents, 1974. Vol. 1, Pg. 74, 1974. Acutely Toxic

LC50 Inhalation Data for 100% Methyl Alcohol: LC50 inhalation rat: 83,9 mg/l/4 h

Reference: Raw Material Data Handbook, Vol.1: Organic Solvents, 1974. Vol. 1, Pg. 74, 1974. Acutely Toxic

Chronic Toxicity

Carcinogenicity Not Applicable

Irritation Data for 100% Methyl Alcohol: Main toxic effects:
 Acute:
 Irritation to the eyes, CNS depression, systemic damage to the eyes
 Chronic:
 Neurological symptoms, irritation to the nasal mucous membranes through exposure to higher vapor concentrations, damage to the skin due to repeated contact.

Corrosivity Not applicable

Sensitization Not applicable

Neurological Effects Not applicable

Mutagenic Effects	Not applicable
Reproductive Effects	Not applicable
Developmental Effects	This product contains the following Proposition 65 chemicals: Methanol Type of Toxicity: developmental CAS No. 67-56-1 Date Listed: March 16, 2012
Target Organ Effects	Data for 100% Methyl Alcohol: Eyes, skin, respiratory system, central nervous system, gastrointestinal tract
Other adverse effects	Data for 100% Methyl Alcohol: Effects of short-term exposure The substance is irritating to the eyes, skin and respiratory tract. The substance may cause effects on the central nervous system. This may result in loss of consciousness. Exposure could cause blindness and death. The effects may be delayed. Medical observation is indicated. Effects of long-term or repeated exposure Repeated or prolonged contact with skin may cause dermatitis. The substance may have effects on the central nervous system. This may result in persistent or recurring headaches and impaired vision.

12. ECOLOGICAL MEASURES

Ecotoxicity	Data for 100% Methyl Alcohol: Acute Toxicity to Fish - LC50 Fish (96 hours) Minimum: 15000 mg/l Maximum: 29400 mg/l Median: 24000 mg/l Study number: 8 Reference: Poirier, S.H., M.L. Knuth, C.D. Anderson-Buchou, L.T. Brooke, A.R. Lima, and P.J. Shubat 1986. Comparative Toxicity of Methanol and N,N-Dimethylformamide to Freshwater Fish and Invertebrates. Bull. Environ. Contam. Toxicol. 37(4):615-621; Bengtsson, B.E., L. Renberg, and M. Tarkpea 1984. Molecular Structure and Aquatic Toxicity - an Example with C1-C13 Aliphatic Alcohols. Chemosphere 13(5/6):613-622
Persistence/Degradability	Not Available
Mobility in Environmental Media	Not Available
Bioaccumulation/Accumulation	Not Available

13. DISPOSAL MEASURES

Waste Disposal Method:	Treatment, storage and transportation must comply with all Federal, State, and Local laws concerning health and pollution.
Contaminated Packaging:	Avoid contact with skin and clothing. Place contaminated packaging in a break proof outer vessel and dispose on in compliance with national and local regulations.
US EPA Waste Number:	Not Available

14. TRANSPORTATION MEASURES

DOT:	Data for 100% Methyl Alcohol: UN Classification UN Hazard Class: 3; UN Subsidiary Risks: 6.1; UN Pack Group: II
IATA:	Not Available
ADR (road)/ RID (rail):	Not Available
IMDG (sea):	Not Available
General Transport Regulations	Data for 100% Methyl Alcohol: Transport Emergency Card: TEC (R)-30S1230.

15. REGULATORY MEASURES

This product is a mixture that may contain one or more hazardous chemicals. The hazardous ingredients listed are only those as required by 29 CFR 1910.1200 (OSHA HCS).

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains no chemical or chemicals which are subject to the reporting requirements of the Act and and Title 40n of the Code of Federal Regulations, Part 372.

Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (See 40 CFR 61)

Not Listed

State Regulations

California Proposition 65:

This product contains the following Proposition 65 chemicals: Methanol Type of Toxicity: developmental CAS No. 67-56-1 Date Listed: March 16, 2012

State Right to Know Act

Chemical Name	Methyl Alcohol
Massachusetts	Listed
New Jersey	Listed
Pennsylvania	Listed
New York	Listed
Rhode Island	Listed

International Inventories

Chemical Name	Methyl Alcohol
TSCA	Listed
DSL	Listed
NDSL	Not Listed
EINECS	Listed
CHINA	Listed
KECL	Listed
JAPAN:	Listed
AICS	Listed

EU Regulations

Annex I Index#	Data for 100% Methyl Alcohol: Annex I Index# : 603-001-00-X
Classification	Flammable liquids, Category 2; H225 Acute toxicity, Category 3, inhalation; H331 Acute toxicity, Category 3, dermal; H311 Acute toxicity, Category 3, oral; H301 Specific Target Organ Toxicity (single exposure), Category 2; H371
Risk Phrases	H225: Highly flammable liquid and vapour. H331: Toxic if inhaled. H311: Toxic in contact with skin. H301: Toxic if swallowed. H371: May cause damage to organs.
Safety Phrases	P210: Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking. P233: Keep container tightly closed. P240: Ground/bond container and receiving equipment. P241: Use explosion-proof electrical/ ventilating/ lighting equipment. P242: Use only non-sparking tools. P243: Take precautionary measures against static discharge. P280: Wear protective gloves/ protective clothing/ eye protection/ face protection. P260: Do not breathe dust/ fume/ gas/mist/ vapours/ spray. P271: Use only outdoors or in a well-ventilated area. P284: Wear respiratory protection. P264 : Wash skin thoroughly after handling. P270: Do not eat, drink or smoke when using this product.
Symbols and Indications of Danger	GHS02 GHS06 GHS08 Dgr: Danger

**Specific Concentration
Limits**STOT SE 1; H370: C \geq 10 %
STOT SE 2; H371: 3 % \leq C < 10 %**Export and Import**

This substance is not listed in the Annex I of Regulation (EC) No 649/2012.

European Priority List

This substance is not listed in a priority list (as foreseen under Council Regulation (EEC) No 793/93 on the evaluation and control of the risks of existing substances.).

16. OTHER INFORMATION

The above information is believed to be correct, but does not purport to be all inclusive and shall be used only as a guide. KPL shall not be held liable for any damage resulting from handling or from contact with the above product. Users should make their own investigations to determine the suitability of the information for their particular purposes. This material is sold for research purposes and is intended as laboratory reagents only. It is not intended for food, drug, household, agricultural or cosmetic use. Its use must be supervised by a technically qualified individual experienced in handling potentially hazardous chemicals.

Revision Date: 7/30/2014